EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("6572608").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/09 11:52
\$2	15	("4347837" "4674497" "4744360" "5172685" "5469524" "5520222" "5603710" "5656011" "5688264" "5855577" "5865831" "5957916" "5993072" "6053911" "6142990").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/09 11:54
S3	0	("6572608").URPN.	USPAT	OR	ON	2005/01/09 11:59
S4	2	S2 and (rigid same tube)	USPAT	OR	ON	2005/01/09 12:00
S5	2	S2 and ((stainless adj steel) same tube)	USPAT	OR	ON	2005/01/09 12:17
S6	29	((SCHELLER near2 GREGG) (AULD near2 MICHAEL)).in.	USPAT	OR	ON	2007/09/17 17:31
S7	0	606/2,2.5,4-7,13-16	USPAT	OR	ON	2005/01/09 12:32
S8	2596	(606/2,2.5,4-7,13-16).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/09/28 18:57
S9	0	("8and((rigidadj (tubesleeveshaft)0or (tubularadjsleeve))").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/09 12:33
S10	96	S8 and (rigid adj (tube sleeve shaft) or (tubular adj sleeve))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 18:58
S11	90	S10 and (optic\$2 near fiber)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/09 12:35
S12	1	("5855577").PN.	US-PGPUB; USPAT	OR	OFF	2005/01/09 17:27
S13	2757	(606/2,2.5,4-7,13-16,78). CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/10 14:40
S14	1	("6572608").PN.	US-PGPUB; USPAT	OR	OFF	2005/06/10 14:39
S15	3484	((606/2,2.5,4-7,13-16,78) or (607/88,89)).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/17 17:31

S16	15	("4347837" "4674497" "4744360" "5172685" "5469524" "5520222" "5603710" "5656011" "5688264" "5855577" "5865831" "5957916" "5993072" "6053911" "6142990").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/10 14:44
S17	1	("6572608").URPN.	USPAT	OR	ON	2005/06/10 14:45
S18	29	((SCHELLER near2 GREGG) (AULD near2 MICHAEL)).in.	USPAT	OR	ON	2005/09/27 22:10
S19	42	((SCHELLER near2 GREGG) (AULD near2 MICHAEL)).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 22:04
S20	13	S19 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 22:06
S21	0	(ophthalmic AND (device instrument system) AND hollow AND (bore tube) AND rigid AND sleeve AND handle AND fiber AND (optic optical) AND adjustable AND bend AND (project projects) AND distal AND end).clm.	US-PGPUB; USPAT	OR	ON	2005/09/27 22:10
S22	2836	(606/2,2.5,4-7,13-16,78). CCLS.	US-PGPUB; USPAT	OR	OFF	2007/06/25 13:23
S23	105	S22 and (rigid adj (tube sleeve shaft) or (tubular adj sleeve))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/28 18:58
S24	62	((SCHELLER near2 GREGG) (AULD near2 MICHAEL)).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 13:23
S25	3649	(606/2,2.5,4-7,13-16,78). CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/25 13:23

S26	21	S24 and S25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 13:23
S27	32	((SCHELLER near2 GREGG) (AULD near2 MICHAEL)).in.	USPAT	OR	ON	2007/09/17 17:32
S28	5049	((606/2,2.5,4-7,13-16,78) or (607/88,89)).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 17:31
S29	15	\$27 and \$28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/17 17:32

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S40	0	((apparatus device system instrument) AND surgical AND illumination AND laser AND light AND handle AND tubular AND tipsecured AND project\$ AND distal AND proximal AND end AND fiber AND optic\$2 AND length AND adjacent AND mechanism AND mov\$3 AND extended AND position AND curved AND configuration AND sleeve AND mounted AND hold\$3).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2011/03/13 22:00
S41	0	((apparatus device system instrument) AND surgical AND illumination AND laser AND light AND handle AND tubular AND tipsecured AND project\$ AND distal AND proximal AND end AND fiber AND optic\$2 AND length AND adjacent AND mechanism AND mov\$3 AND extended AND position AND forwar AND rearward AND piece AND	US-PGPUB; USPAT; UPAD	OR	ON	2011/03/13 22:01

	relative AND rotation).		
	clm.		

3/13/2011 10:33:22 PM

H:\ EastWorkFolders\ 10586017_.wsp